

DECLARATION OF PARAMETERS

No. 6-47/2026

According to REGULATION (EU) No. 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

- 1. Unique identification code of the product type:**
White lime EN 459-1 CL 80-S, SpeziKalk.
- 2. Type, batch number or serial number, or any other enabling element identification of the construction product, as required under Article 11 par. 4:**
White lime EN 459-1 CL 80-S, SpeziKalk, production date and time.
- 3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**
For the production of binders for masonry mortars and mortar for external and internal plastering, production other construction products and for use in civil engineering.
- 4. Name, registered business name or registered trademark and contact information the manufacturer's address as required by Article 11 par. 5:**
Calmit spol. s r.o., Gaštanová 15, 811 04 Bratislava,
Manufacturing plant: Calmit spol. s r. o., Tisovec plant, 980 61 Tisovec.
- 5. System or systems of assessment and verification of the constancy of construction parameters of the product as listed in Annex V:**
System 2+
- 6. In case of a declaration of parameters relating to a construction product for which the harmonized standard covers:**
Harmonized standard norm: EN 459-1:2010
Notified subject No. 1301 of certification: Technical testing institute of construction, n. o., Studená 3, 821 04 Bratislava, performed the determination of the product type based on the type test, the initial inspection of the production equipment and production management, ongoing supervision, assessment and evaluation of the production management, system according to EN 459-1:2010 in System 2+ and issued certificate No. 1301-CPR-0047.
- 7. Declared performance:**

Essential characteristics	Parameters	Harmonized technical specification
CaO + MgO	$\geq 80 \%$	EN 459-1:2010
MgO	$\leq 5 \%$	
CO ₂	$\leq 7 \%$	
SO ₃	$\leq 2 \%$	
Free water content	$\leq 2 \%$	
Available lime	$\geq 65 \%$	
Air content	$\leq 12 \%$	
Particle size a residue in 0,20 mm sieve	$\leq 2 \%$	
a residue in 0,09 mm sieve	$\leq 7 \%$	
Penetration	$\geq 10 \text{ mm} - \leq 50 \text{ mm}$	
Soundness	Pass	

- 8. The performance of product identified in points 1 and 2 is in conformity with the declared parameters in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4 in accordance with Regulation (EU) No. 305/2011.**

Signed for and on behalf of the manufacturer: Ing. Martin Ranostaj
plant manager

In Tisovec 09.01.2026



Calmit spol. s r.o.
Gaštanová 15, 811 04 Bratislava
závod Tisovec
IČO: 361 72 162, IČ DPH: SK2020066172
-27-